

App. No. 09/556,279  
Amendment dated February 2, 2004  
Reply to final Office action of December 1, 2003

### AMENDMENT

1. (currently amended) A method of implementing a network of devices connected to a shared media, the devices being a part of a consumer electronic appliance, the method comprising:

forming a logical network on the shared media, the logical network including an address space arbiter (ASA) coupled to the shared media, ~~the logical network having a logical network ID;~~ and

~~adding a device to the logical network, the device being coupled to the shared media and configured to send and receive messages over the shared media, the device being responsive to messages sent over the shared media that are addressed to the logical network~~

discovering a device coupled to the shared medium by communication between the ASA and the device;

acquiring the discovered device, the acquired device being a member of the logical network;

receiving a message from the device over the shared media;

comparing information associated with the device included in the message to information associated with devices in an acquired device table, the acquired device table being arranged to include information associated with devices that are members of the logical network; and

adding information associated with the device to an announced device table if the information is not stored in the acquired device table and the device is unacquired, wherein the announced device table includes information associated with discovered but unacquired devices.

2. (original) The method of Claim 1 further comprising maintaining the logical network, wherein maintaining the logical network includes detecting and removing inactive devices from the logical network.

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

3. (currently amended) The method of Claim 1 wherein acquiring the discovered  
~~adding a device~~ comprises:

~~discovering the device coupled to the shared medium by communication between~~  
~~the ASA and the device; and~~

acquiring the discovered device by operation of an acquisition authority (AA), ~~the~~  
~~acquired device being a member of the logical network.~~

4. (original) The method of Claim 1 further comprising adding a plurality of  
devices to the logical network, the plurality of devices being coupled to the shared media and  
configured to send and receive messages over the shared media, the plurality of devices being  
responsive to messages sent over the shared media that are addressed to the logical network.

5. (original) The method of Claim 1 further comprising forming a second  
logical network on the shared media by operation of a second ASA, members of the second  
logical network being configured to respond to messages carried on the shared media addressed  
to the second logical network and not to respond to messages carried on the shared media that  
are addressed to the logical network.

6. (original) The method of Claim 1 wherein the shared media comprises a  
power-line of a building.

7. (original) The method of Claim 1 wherein forming a logical network  
comprises:

selecting an ID number by operation of the ASA;

broadcasting a message addressed to a logical network having the selected ID  
number as its logical network ID;

monitoring the shared media for a response to the broadcasted message; and

adopting the selected ID number as the logical network ID for the logical  
network.

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

8. (original) The method of Claim 1 wherein discovering a device comprises:  
receiving a message from the device in the ASA; and  
determining whether the device is unacquired.

9. (cancelled)

10. (currently amended) The method of Claim 1 9 wherein acquiring the discovered  
a device further comprises:

assigning a logical device identifier to the device, the logical device identifier  
being information associated with the device;

assigning ~~the logical network ID~~ as a logical network identifier to the device, the  
logical network identifier being a logical network ID associated with the formed logical network,  
the logical network identifier being information associated with the device;

adding the device's logical device identifier and a globally unique identifier  
associated with the device to the acquired device table, the globally unique identifier being  
information associated with the device; and

removing the ~~device's~~ logical device identifier and the globally unique identifier  
associated with the device from the announced device table.

11. (cancelled)

12. (currently amended) The method of Claim 10 ~~11~~ further comprising assigning  
the logical network ID as the device's logical network identifier if the device's globally unique  
identifier is stored in the acquired device table but the device's logical network identifier and  
logical device identifier indicate that the device is unacquired.

13. (currently amended) The method of Claim 10 ~~11~~ further comprising leaving the  
device's logical network identifier and logical device identifier unchanged if the device's globally  
unique identifier, logical network identifier and logical device identifier match those stored in the  
acquired device table for an acquired device.

App. No. 09/556,279  
Amendment dated February 2, 2004  
Reply to final Office action of December 1, 2003

14. (original) The method of Claim 10 ~~11~~ further comprising configuring the device into an unacquired state if the device's logical network identifier matches the logical network ID but either the device's logical network identifier or the device's globally unique identifier do not match those stored in the acquired device table for an acquired device.

15. (currently amended) The method of Claim 10 ~~11~~ further comprising obtaining a new logical network ID if the device's logical network identifier matches the logical network ID but the device's logical device identifier indicates that the device is an ASA.

16. (original) The method of Claim 1 wherein the device is implemented as a process of an executing computer program.

17. (original) The method of Claim 2 wherein maintaining the logical network comprises:

comparing elapsed time since the device last transmitted a message over the shared media to a predetermined maximum inactive time limit; and

removing the device from the logical network if the elapsed time exceeds the maximum inactive time limit.

18. (original) The method of Claim 17 further comprising:  
before removing the device from the logical network, sending a message to the device and monitoring the shared media for a valid message from the device that is responsive to the message; and

resetting the elapsed time if the device provides a valid responsive message within a predetermined time period.

19. (original) The method of Claim 17 wherein the device is configurable to set the maximum inactive time limit by sending a message to the ASA that includes a value for the maximum inactive time limit.

App. No. 09/556,279  
Amendment dated February 2, 2004  
Reply to final Office action of December 1, 2003

20. (original) The method of Claim 17 wherein the ASA includes a table that configured to store the elapsed time and the maximum inactive time period.

21. (currently amended) A method of communication between devices on a shared media, the shared media being configurable to support communication within one or more logical networks, each logical network having a logical network ID and each device having a globally unique identifier, a logical network identifier, and a logical device identifier, the method comprising:

- coupling a sending device and a receiving device on the shared media;
- formatting a message for transmission on the shared media from the sending device to the receiving device, wherein the message includes:
  - a source logical network ID field configurable to contain the logical network ID of the logical network of which the sending device is a member;
  - a source device ID field configurable to contain the logical device identifier,
  - a destination logical network ID field configurable to contain the logical network ID of which the receiving device is a member,
  - a destination device ID field configurable to contain the logical device ID of the receiving device,
  - a message type field configurable to contain a code indicative of information contained in the message, and
  - a message data field configurable to contain data; and
- transmitting the message from the sending device to the receiving device over the shared media;
- comparing the sending device's globally unique identifier, logical network identifier, and logical device identifier to those of the receiving device, the globally unique identifier, logical network identifier and logical device identifier of the sending device being stored in an acquired device table; and
- adding the receiving device's globally unique identifier, logical network identifier, and logical device identifier to an announced device table if the receiving device's globally

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

unique identifier is not stored in the acquired device table and the receiving device's logical network identifier and logical device identifier indicate that the receiving device is unacquired.

22. (original) The method of Claim 21 wherein the destination logical network ID field is configurable to contain a code representing all logical networks on the shared media.

23. (original) The method of Claim 21 wherein the destination device ID field is configurable to contain a code representing all devices of the logical network indicated in the destination logical network ID field.

24. (original) The method of Claim 21 wherein the source device ID field is configurable to contain a code representing that the sending device has no logical device ID.

25. (original) The method of Claim 21 wherein the source logical network ID field is configurable to contain a code representing that the sending device is not a member of a logical network.

26. (currently amended) A system for supporting communication between devices connected to a shared media, the devices being a part of a consumer electronic appliance, the system comprising:

a device coupled to the shared media, wherein the device is configured to send and receive messages over the shared media;

an address space arbiter (ASA) coupled to the shared media, the ASA being configurable to form a logical network with one zero or more devices connected to the shared media and to discover a device on the shared media by:

receiving a message from the device over the shared media;

comparing information associated with the device included in the message to information associated with devices in an acquired device table, the acquired device table being arranged to include information associated with devices that are members of the logical network; and

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

adding information associated with the device to an announced device table if the information is not stored in the acquired device table and the device is unacquired, wherein the announced device table includes information associated with discovered but unacquired devices; and

an acquisition authority (AA) at least intermittently coupled to the ASA, wherein the AA is configured to selectively authorize the ASA to add a device to the logical network, wherein the logical network has a logical network ID, the ASA and any devices of the logical network are configured to be responsive to messages sent over the shared media that are addressed to the logical network.

27. (original) The system of Claim 26 wherein the ASA is configured to detect and remove inactive devices from the logical network.

28. (original) The system of Claim 26 wherein the device is implemented as a process of an executing computer program.

29. (currently amended) The system of Claim 26 further comprising a second ASA and a second set of one ~~zero~~ or more devices coupled to the shared media, the second ASA and the second group of devices forming a second logical network on the shared media, members of the second logical network being configured to respond to messages carried on the shared media addressed to the second logical network and not respond to messages carried on the shared media that are addressed to the logical network.

30. (original) The system of Claim 26 wherein the shared media comprises a power-line of a building.

31. (original) The system of Claim 26 wherein the ASA includes a control unit

32. (original) The system of Claim 31 wherein the control unit is implemented with a computer system.

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

33. (original) The system of Claim 31 wherein the control unit of the ASA is configured to form a logical network by:

- selecting an ID number;
- broadcasting a message addressed to a logical network having the selected ID number as its logical network ID;
- monitoring the shared media for a response to the broadcasted message; and
- adopting the selected ID number as the logical network ID for the logical network.

Claims 34 - 35 (cancelled)

36. (currently amended) The system of Claim ~~31~~ 35 wherein the control unit of the ASA is configured to acquire a device by:

- receiving authorization to acquire the device from the AA;
- assigning a logical device identifier to the device, the logical device identifier being information associated with the device;
- assigning the logical network ID as a logical network identifier to the device, the logical network identifier being information associated with the device;
- adding the ~~device's~~ logical device identifier and a globally unique identifier associated with the device to the acquired device table, the globally unique identifier being information associated with the device; and
- removing the ~~device's~~ logical device identifier and the globally unique identifier associated with the device from the announced device table.

37. (original) The system of Claim 27 wherein the control unit of the ASA is configured to detect an inactive device by:

- comparing an elapsed time since the device last transmitted a message over the shared media to a predetermined maximum inactive time limit;
- sending a message to the device and monitoring the shared media for a valid message from the device that is responsive to the message; and



App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

resetting the elapsed time if the device transmits a valid responsive message over the shared media within a predetermined time period.

38. (original) The system of Claim 37 the device is configurable to set the maximum inactive time limit by sending a message to the ASA that includes a value for the maximum inactive time limit.

39. (currently amended) A computer-readable medium having computer-executable instructions for performing steps comprising:

forming a logical network on the shared media, the logical network including an address space arbiter (ASA) coupled to the shared media, the logical network having a logical network ID;

~~adding a device to the logical network, the device being coupled to the shared media and configured to send and receive messages over the shared media, the device being responsive to messages sent over the shared media that are addressed to the logical network; and maintaining the logical network, wherein maintaining the logical network includes detecting and removing inactive devices from the logical network~~

receiving a message from the device over the shared media;

comparing information associated with the device included in the message to information associated with devices in an acquired device table, the acquired device table being arranged to include information associated with devices that are members of the logical network;  
and

adding information associated with the device to an announced device table if the information is not stored in the acquired device table and the device is unacquired, wherein the announced device table includes information associated with discovered but unacquired devices.

40. (original) The computer-readable medium of Claim 39, wherein adding a device comprises computer-executable instructions for performing the steps of:

discovering the device coupled to the shared medium by communication between the ASA and the device; and

App. No. 09/556,279

Amendment dated February 2, 2004

Reply to final Office action of December 1, 2003

acquiring the discovered device by operation of an acquisition authority (AA), the acquired device being a member of the logical network.

41. (original) The computer-readable medium of Claim 39, wherein forming a logical network comprises computer-executable instructions for performing the steps of:

selecting an ID number by operation of the ASA;

broadcasting a message addressed to a logical network having the selected ID number as its logical network ID;

monitoring the shared media for a response to the broadcasted message; and

adopting the selected ID number as the logical network ID for the logical network.

42. (currently amended) The computer-readable medium of Claim 40 39, wherein discovering the a device comprises computer-executable instructions for performing the steps of:

receiving a message from the device in the ASA; and

determining whether the device is unacquired.

43. (cancelled)

44. (currently amended) The computer-readable medium of Claim 40 43, wherein acquiring the a device further comprises computer-executable instructions for performing the steps of:

assigning a logical device identifier to the device, the logical device being information associated with the device;

assigning the logical network ID as a logical network identifier to the device, the logical network identifier being information associated with the device;

adding the ~~device's~~ logical device identifier and a globally unique identifier associated with the device to acquired device table, the globally unique identifier being information associated with the device; and

removing the ~~device's~~ logical device identifier and the globally unique identifier associated with the device from the announced device table.

App. No. 09/556,279  
Amendment dated February 2, 2004  
Reply to final Office action of December 1, 2003

45. (cancelled)

46. (currently amended) A system for implementing a network of devices connected to a shared media, the devices being part of a consumer electronic appliance, the system comprising:

means for forming a logical network on the shared media, the logical network having a logical network ID;

~~means for adding a device to the logical network, the device being coupled to the shared media and configured to send and receive messages over the shared media, the device being responsive to messages sent over the shared media that are addressed to the logical network; and~~

~~means for detecting and removing inactive devices from the logical network~~

~~means for receiving a message from the device over the shared media;~~

~~means for comparing information associated with the device included in the message to information associated with devices in an acquired device table, the acquired device table being arranged to include information associated with devices that are members of the logical network; and~~

~~means for adding information associated with the device to an announced device table if the information is not stored in the acquired device table and the device is unacquired, wherein the announced device table includes information associated with discovered but unacquired devices.~~

47. (original) The system of Claim 46 wherein the means for adding a device comprises:

means for discovering the device coupled to the shared medium; and

means for acquiring the discovered device, the acquired device being a member of the logical network.